

EMBOSS PANEL SCALLOP

Acoustics » Acoustic Panels



Brand: **Zintra**

Collections: **Emboss Panel**

Applications: **Walls**

+1 855 922 7377

hello@zintraacoustic.com

zintraacoustic.com

1 of 8

zintra[®]

EMBOSS PANEL SCALLOP

Acoustics » Acoustic Panels



Emboss Panel Scallop Detail Ecru



Emboss Panel Scallop Detail

EMBOSS PANEL SCALLOP

Acoustics » Acoustic Panels

Introducing rhythmic curves and precise seams, Zintra Emboss Panel Scallop brings measured elegance, creating a captivating play of light and shadow in any space.

✓ Acoustic

✓ Bleach Cleanable

✓ Easy Clean

✓ Easy Install

Description

Zintra Emboss Panels brings a touch of luxury to acoustic solutions, combining timeless craftsmanship with advanced technology. These tactile three-dimensional panels create an immersive experience that transforms the ambiance of any space. The warm heather of Zintra softens the environment, ensuring that even the most austere spaces feel inviting.

Designed for seamless installation, Zintra Emboss Panels can be installed both vertically or horizontally, offering versatile design possibilities. They provide more than just noise absorption—they tell a story with every surface. Their intricate patterns and dynamic visual effects shift with perspective, adding depth and warmth to any room, making conversations flow effortlessly without echoes or disturbances.

Scallop

Purity in form—each curve, deliberate and precise, speaks to a sense of calm and clarity. The Scallop design features a series of semi-circular curves, resembling the edge of a scallop shell, repeated in a rhythmic, wave-like pattern that creates movement and fluidity.

The subtle crease detail and carefully placed seamline invite the eye to follow the gentle arcs as they cascade toward the wall, creating a captivating play of light and shadow that emphasizes its 3-dimensional depth. Meticulously crafted, the seamline is subtly positioned at the concave to ensure seamless integration, where the bottom of the scallop meets the wall.

Scallop is a design that captures the essence of measured rationality, leaving a lasting impression of architectural elegance.

Available in 18 great designs.

Ascend | Celium | Constellation | Corduroy | Corduroy Fine | Cumulus | Damask | Jungle | Linked | Molecular | Rivulet | Sandglass | Scallop | Stitched | Tapestry | Tidal | Tufted | Woven

In hospitality, commercial, and care environments, Zintra Emboss Panels don't just absorb sound – they elevate spaces with their luxurious textures and calming designs, creating atmospheres that are as visually captivating as they are acoustically sound.

Please note: Zintra Emboss is suitable for single-sided applications only.

Don't just design spaces. Craft experiences.

EMBOSS PANEL SCALLOP

Acoustics » Acoustic Panels

How to Specify

1. Select Emboss design
2. Select Zintra Colour

Composition

Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester
12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²

Sustainability

Zintra is made from 100% recyclable materials.

- 60% post-consumer recycled content from PET bottles.
- 35% pre-consumer recycled content from PET chips
- 5% polylactic acid (PLA)

Dimensions

Available in 12mm (1/2")
2743mm (108") x 1118mm (44")

"Emboss Panel patterns will align with a commercial tolerance of +/- 1mm. Panel thickness may vary by 15%. Pack as required to align face."

Fire Rating

ASTM-E84 – Class A classification
AS ISO 9705 – 2003 – Group 1 classification
EN-13501 – B-s2-d0 classification

Supplied As

1 x Emboss Panel in selected pattern

Fabrication Techniques

Utility knife and CNC with oscillating knife.

Assembly & Delivery

Ships Flat Pack

Go to the Technical Documents and download the Installation Guide for more details.

Suggested Installation

Go to Technical Documents and download the Installation Guide for more details.

EMBOSS PANEL SCALLOP

Acoustics » Acoustic Panels

Care Instructions	Vacuum to remove dust. Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	Visit FAQ for more details.
Additional Comments	NRC 0.35

EMBOSS PANEL SCALLOP

Acoustics » Acoustic Panels

Color & Finish Options

Zintra 12mm Solid PET



EMBOSS PANEL SCALLOP

Acoustics » Acoustic Panels




Slate



Storm



Sunshine



Tar



Twilight


Zintra Timber




Eucalyptus



Ironbark



Merbau




Spotted Gum


Zintra Premium Material



Terrazzo Light



Terrazzo Medium



Terrazzo Dark



Travertine Light



Travertine Medium



Travertine Dark



Shale Light



Shale Medium




Shale Dark



Raku Bone



Raku Luster




Raku Jade



Concrete Cast




Concrete Polished



Concrete Dark Tint

EMBOSS PANEL SCALLOP


Acoustics » Acoustic Panels



Terracotta Sun
Bleached



Terracotta Mission



Terracotta Antique

Zintra Premium Wood



Knotty Pine




Maple




Poplar



Australian Walnut



Claro Walnut



Palm Wood



Rustic Walnut



Cherry



Euro Beech



Lacewood



Redwood



White Oak